


1782 APR

APR | Big bore

Depending on the selected configuration, the technical specifications and illustration of your rifle will differ.



This ANSCHÜTZ category C sporting rifle (bolt-action rifle) (rimfire or center fire) has been manufactured for the intended use in target shooting. The use of this civil sporting rifle is exclusively subject to the intended use and the respectively valid laws. The model is to be used exclusively for sports use on the approved shooting ranges (for sports disciplines) and may only be used by persons with an appropriate gun license.

1782 APR

APR | Big bore

Total weight approx. **.6.920 g**
Total Length. **.1.160 - 1.190 mm**

Stock

Designation ACC Premier Chassis (MDT)
 Material Aluminum, synthetic
 Length of stock 970 - 1.000 mm
 Length of pull 345 - 375 mm
 Weight of stock, approx. 2.550 g
 Butt plate. Rubber butt plate

Barreled Action

Designation 1782 APR

With barrel 26" (660 mm)

Length of barreled action 845 mm
 Length of barrel 26" (660 mm)
 Muzzle diameter 23,5 mm
 Barrel thread. M18x1
 Weight of barreled action, approx. 4.370 g
 Mounting platform Picatinny rail with 20 MOA pre-tilt

Trigger

Designation 5082 APR

Set as single stage trigger

Trigger weight, factory set at 1.100 g
 Adjustment of the trigger weight 750 - 1.200 g
 Cant of the trigger blade - right/left 11 mm
 Adjustment of the trigger blade - longitudinal 23 mm

Set as two stage trigger

Trigger weight, factory set at 1.100 g
 Adjustment of the trigger weight 750 - 1.200 g
 Cant of the trigger blade - right/left 11 mm
 Adjustment of the trigger blade - longitudinal 23 mm

1782 APR

APR | Big bore

Caliber

6mm Creedmoor

Number of grooves4

Twist rate191 mm

6.5 Creedmoor

Number of grooves6

Twist rate203 mm

.308 Win.

Number of grooves4

Twist rate305 mm

Magazine

For Caliber 6mm Creedmoor | 6.5 Creedmoor | .308 Win.

Capacity10